





美佳境內六角植體系統 ST Internal Fixture System


型號與規格：


*植體 (Fixture)- 材質 Ti

Fixtur (Mini)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Length
	FSTI3508H	3.5	8.5
	FSTI3510H	3.5	10.0
	FSTI3511H	3.5	11.5
	FSTI3513H	3.5	13.0
	FSTI3515H	3.5	15.0


Fixtur (Regular)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	FSTI4007H	4.0	7.0
	FSTI4008H	4.0	8.5
	FSTI4010H	4.0	10.0
	FSTI4011H	4.0	11.5
	FSTI4013H	4.0	13.0
	FSTI4015H	4.0	15.0
	FSTI4507H	4.5	7.0
	FSTI4508H	4.5	8.5
	FSTI4510H	4.5	10.0
	FSTI4511H	4.5	11.5
	FSTI4513H	4.5	13.0
	FSTI4515H	4.5	15.0
	FSTI5007H	5.0	7.0
	FSTI5008H	5.0	8.5
	FSTI5010H	5.0	10.0
	FSTI5011H	5.0	11.5
	FSTI5013H	5.0	13.0
	FSTI5015H	5.0	15.0

*封口螺絲 (Cover Screw) - 材質 Ti6Al4V


Cover Screw (Mini)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTCS04S	3.15	0.41
	ASTCS20S	3.35	2.0

Cover Screw (Regular)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTCS04	3.7	0.4
	ASTCS20	3.9	2.0

*轉移封口螺絲 (Flat Cover Screw) - 材質 Ti6Al4V

Flat Cover Screw	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTFCS	3.5	4.1


*癒合螺絲 (Healing Screw) - 材質 Ti6Al4V

Healing Screw (Mini)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTHS403S	4.0	3.0
	ASTHS404S	4.0	4.0
	ASTHS405S	4.0	5.0
	ASTHS406S	4.0	6.0
	ASTHS407S	4.0	7.0
	ASTHS453S	4.5	3.0
	ASTHS454S	4.5	4.0


Healing Screw (Mini)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTHS455S	4.5	5.0
	ASTHS456S	4.5	6.0
	ASTHS457S	4.5	7.0


Healing Screw (Regular)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTHS403	4.0	3.0
	ASTHS404	4.0	4.0
	ASTHS405	4.0	5.0
	ASTHS406	4.0	6.0
	ASTHS407	4.0	7.0
	ASTHS503	5.0	3.0
	ASTHS504	5.0	4.0
	ASTHS505	5.0	5.0
	ASTHS506	5.0	6.0
	ASTHS507	5.0	7.0
	ASTHS603	6.0	3.0
	ASTHS604	6.0	4.0
	ASTHS605	6.0	5.0
	ASTHS606	6.0	6.0
	ASTHS607	6.0	7.0
	ASTHS703	7.0	3.0
	ASTHS704	7.0	4.0
ASTHS705	7.0	5.0	
ASTHS706	7.0	6.0	
ASTHS707	7.0	7.0	

*轉移癒合螺絲 (Flat Healing Screw) - 材質 Ti6Al4V


Flat Healing Screw	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTFHS401	4.0	1.0
	ASTFHS402	4.0	2.0
	ASTFHS403	4.0	3.0

*支台齒螺絲 (Abutment Screw) - 材質 Ti6Al4V


Abutment Screw (Mini)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTASS	2.3	10.8

Abutment Screw (Regular)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTAS	2.5	8.6


*支台齒 (EZ Post Abutment) - 材質 Ti

EZ Post Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTEP4515HS	4.5	1.0	5.5
	ASTEP4525HS	4.5	2.0	5.5
	ASTEP4535HS	4.5	3.0	5.5
	ASTEP4545HS	4.5	4.0	5.5
	ASTEP4555HS	4.5	5.0	5.5
	ASTEP4517HS	4.5	1.0	7.0
	ASTEP4527HS	4.5	2.0	7.0
	ASTEP4537HS	4.5	3.0	7.0
	ASTEP4547HS	4.5	4.0	7.0
	ASTEP4557HS	4.5	5.0	7.0
	ASTEP5014HS	5.0	1.0	4.0
	ASTEP5024HS	5.0	2.0	4.0
	ASTEP5034HS	5.0	3.0	4.0
	ASTEP5044HS	5.0	4.0	4.0
	ASTEP5054HS	5.0	5.0	4.0
	ASTEP5015HS	5.0	1.0	5.5
	ASTEP5025HS	5.0	2.0	5.5
ASTEP5035HS	5.0	3.0	5.5	


EZ Post Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTEP5045HS	5.0	4.0	5.5
	ASTEP5055HS	5.0	5.0	5.5
	ASTEP5017HS	5.0	1.0	7.0
	ASTEP5027HS	5.0	2.0	7.0
	ASTEP5037HS	5.0	3.0	7.0
	ASTEP5047HS	5.0	4.0	7.0
	ASTEP5057HS	5.0	5.0	7.0
	ASTEP4515NS	4.5	1.0	5.5
	ASTEP4525NS	4.5	2.0	5.5
	ASTEP4535NS	4.5	3.0	5.5
	ASTEP4545NS	4.5	4.0	5.5
	ASTEP4555NS	4.5	5.0	5.5
	ASTEP4517NS	4.5	1.0	7.0
	ASTEP4527NS	4.5	2.0	7.0
	ASTEP4537NS	4.5	3.0	7.0
	ASTEP4547NS	4.5	4.0	7.0
	ASTEP4557NS	4.5	5.0	7.0
	ASTEP5014NS	5.0	1.0	4.0
	ASTEP5024NS	5.0	2.0	4.0
	ASTEP5034NS	5.0	3.0	4.0
	ASTEP5044NS	5.0	4.0	4.0
	ASTEP5054NS	5.0	5.0	4.0
	ASTEP5015NS	5.0	1.0	5.5
	ASTEP5025NS	5.0	2.0	5.5
	ASTEP5035NS	5.0	3.0	5.5
	ASTEP5045NS	5.0	4.0	5.5
	ASTEP5055NS	5.0	5.0	5.5
	ASTEP5017NS	5.0	1.0	7.0
	ASTEP5027NS	5.0	2.0	7.0
	ASTEP5037NS	5.0	3.0	7.0
	ASTEP5047NS	5.0	4.0	7.0
	ASTEP5057NS	5.0	5.0	7.0




EZ Post Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTEP4515H	4.5	1.0	5.5
	ASTEP4525H	4.5	2.0	5.5
	ASTEP4535H	4.5	3.0	5.5
	ASTEP4545H	4.5	4.0	5.5
	ASTEP4555H	4.5	5.0	5.5
	ASTEP4517H	4.5	1.0	7.0
	ASTEP4527H	4.5	2.0	7.0
	ASTEP4537H	4.5	3.0	7.0
	ASTEP4547H	4.5	4.0	7.0
	ASTEP4557H	4.5	5.0	7.0
	ASTEP5014H	5.0	1.0	4.0
	ASTEP5024H	5.0	2.0	4.0
	ASTEP5034H	5.0	3.0	4.0
	ASTEP5044H	5.0	4.0	4.0
	ASTEP5054H	5.0	5.0	4.0
	ASTEP5015H	5.0	1.0	5.5
	ASTEP5025H	5.0	2.0	5.5
	ASTEP5035H	5.0	3.0	5.5
	ASTEP5045H	5.0	4.0	5.5
	ASTEP5055H	5.0	5.0	5.5
	ASTEP5017H	5.0	1.0	7.0
	ASTEP5027H	5.0	2.0	7.0
	ASTEP5037H	5.0	3.0	7.0
	ASTEP5047H	5.0	4.0	7.0
	ASTEP5057H	5.0	5.0	7.0
	ASTEP6014H	6.0	1.0	4.0
	ASTEP6024H	6.0	2.0	4.0
	ASTEP6034H	6.0	3.0	4.0
	ASTEP6044H	6.0	4.0	4.0
	ASTEP6054H	6.0	5.0	4.0
	ASTEP6015H	6.0	1.0	5.5
	ASTEP6025H	6.0	2.0	5.5
	ASTEP6035H	6.0	3.0	5.5
	ASTEP6045H	6.0	4.0	5.5
	ASTEP6055H	6.0	5.0	5.5
	ASTEP6017H	6.0	1.0	7.0
	ASTEP6027H	6.0	2.0	7.0
	ASTEP6037H	6.0	3.0	7.0




EZ Post Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTEP6047H	6.0	4.0	7.0
	ASTEP6057H	6.0	5.0	7.0
	ASTEP7015H	7.0	1.0	5.5
	ASTEP7025H	7.0	2.0	5.5
	ASTEP7035H	7.0	3.0	5.5
	ASTEP7045H	7.0	4.0	5.5
	ASTEP7055H	7.0	5.0	5.5
	ASTEP4515N	4.5	1.0	5.5
	ASTEP4525N	4.5	2.0	5.5
	ASTEP4535N	4.5	3.0	5.5
	ASTEP4545N	4.5	4.0	5.5
	ASTEP4555N	4.5	5.0	5.5
	ASTEP4517N	4.5	1.0	7.0
	ASTEP4527N	4.5	2.0	7.0
	ASTEP4537N	4.5	3.0	7.0
	ASTEP4547N	4.5	4.0	7.0
	ASTEP4557N	4.5	5.0	7.0
	ASTEP5014N	5.0	1.0	4.0
	ASTEP5024N	5.0	2.0	4.0
	ASTEP5034N	5.0	3.0	4.0
	ASTEP5044N	5.0	4.0	4.0
	ASTEP5054N	5.0	5.0	4.0
	ASTEP5015N	5.0	1.0	5.5
	ASTEP5025N	5.0	2.0	5.5
	ASTEP5035N	5.0	3.0	5.5
	ASTEP5045N	5.0	4.0	5.5
	ASTEP5055N	5.0	5.0	5.5
	ASTEP5017N	5.0	1.0	7.0
	ASTEP5027N	5.0	2.0	7.0
	ASTEP5037N	5.0	3.0	7.0
	ASTEP5047N	5.0	4.0	7.0
	ASTEP5057N	5.0	5.0	7.0
	ASTEP6014N	6.0	1.0	4.0
	ASTEP6024N	6.0	2.0	4.0
	ASTEP6034N	6.0	3.0	4.0
	ASTEP6044N	6.0	4.0	4.0
	ASTEP6054N	6.0	5.0	4.0
	ASTEP6015N	6.0	1.0	5.5
	ASTEP6025N	6.0	2.0	5.5
	ASTEP6035N	6.0	3.0	5.5




EZ Post Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTEP6045N	6.0	4.0	5.5
	ASTEP6055N	6.0	5.0	5.5
	ASTEP6017N	6.0	1.0	7.0
	ASTEP6027N	6.0	2.0	7.0
	ASTEP6037N	6.0	3.0	7.0
	ASTEP6047N	6.0	4.0	7.0
	ASTEP6057N	6.0	5.0	7.0
	ASTEP7015N	7.0	1.0	5.5
	ASTEP7025N	7.0	2.0	5.5
	ASTEP7035N	7.0	3.0	5.5
	ASTEP7045N	7.0	4.0	5.5
	ASTEP7055N	7.0	5.0	5.5

*支台齒 (Solid Abutment) - 材質 Ti


Solid Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTSA4014S	4.0	1.0	4.0
	ASTSA4024S	4.0	2.0	4.0
	ASTSA4034S	4.0	3.0	4.0
	ASTSA4044S	4.0	4.0	4.0
	ASTSA4054S	4.0	5.0	4.0
	ASTSA4015S	4.0	1.0	5.5
	ASTSA4025S	4.0	2.0	5.5
	ASTSA4035S	4.0	3.0	5.5
	ASTSA4045S	4.0	4.0	5.5
	ASTSA4055S	4.0	5.0	5.5
	ASTSA4017S	4.0	1.0	7.0
	ASTSA4027S	4.0	2.0	7.0
	ASTSA4037S	4.0	3.0	7.0
	ASTSA4047S	4.0	4.0	7.0
	ASTSA4057S	4.0	5.0	7.0
	ASTSA4514S	4.5	1.0	4.0
	ASTSA4524S	4.5	2.0	4.0
	ASTSA4534S	4.5	3.0	4.0
	ASTSA4544S	4.5	4.0	4.0
	ASTSA4554S	4.5	5.0	4.0

Solid Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTSA4515S	4.5	1.0	5.5
	ASTSA4525S	4.5	2.0	5.5
	ASTSA4535S	4.5	3.0	5.5
	ASTSA4545S	4.5	4.0	5.5
	ASTSA4555S	4.5	5.0	5.5
	ASTSA4517S	4.5	1.0	7.0
	ASTSA4527S	4.5	2.0	7.0
	ASTSA4537S	4.5	3.0	7.0
	ASTSA4547S	4.5	4.0	7.0
	ASTSA4557S	4.5	5.0	7.0




Solid Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTSA4014	4.0	1.0	4.0
	ASTSA4024	4.0	2.0	4.0
	ASTSA4034	4.0	3.0	4.0
	ASTSA4044	4.0	4.0	4.0
	ASTSA4054	4.0	5.0	4.0
	ASTSA4015	4.0	1.0	5.5
	ASTSA4025	4.0	2.0	5.5
	ASTSA4035	4.0	3.0	5.5
	ASTSA4045	4.0	4.0	5.5
	ASTSA4055	4.0	5.0	5.5
	ASTSA4017	4.0	1.0	7.0
	ASTSA4027	4.0	2.0	7.0
	ASTSA4037	4.0	3.0	7.0
	ASTSA4047	4.0	4.0	7.0
	ASTSA4057	4.0	5.0	7.0
	ASTSA4514	4.5	1.0	4.0
	ASTSA4524	4.5	2.0	4.0
	ASTSA4534	4.5	3.0	4.0
	ASTSA4544	4.5	4.0	4.0
	ASTSA4554	4.5	5.0	4.0
	ASTSA4515	4.5	1.0	5.5
	ASTSA4525	4.5	2.0	5.5
	ASTSA4535	4.5	3.0	5.5
	ASTSA4545	4.5	4.0	5.5
	ASTSA4555	4.5	5.0	5.5






Solid Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTSA4517	4.5	1.0	7.0
	ASTSA4527	4.5	2.0	7.0
	ASTSA4537	4.5	3.0	7.0
	ASTSA4547	4.5	4.0	7.0
	ASTSA4557	4.5	5.0	7.0
	ASTSA5014	5.0	1.0	4.0
	ASTSA5024	5.0	2.0	4.0
	ASTSA5034	5.0	3.0	4.0
	ASTSA5044	5.0	4.0	4.0
	ASTSA5054	5.0	5.0	4.0
	ASTSA5015	5.0	1.0	5.5
	ASTSA5025	5.0	2.0	5.5
	ASTSA5035	5.0	3.0	5.5
	ASTSA5045	5.0	4.0	5.5
	ASTSA5055	5.0	5.0	5.5
	ASTSA5017	5.0	1.0	7.0
	ASTSA5027	5.0	2.0	7.0
	ASTSA5037	5.0	3.0	7.0
	ASTSA5047	5.0	4.0	7.0
	ASTSA5057	5.0	5.0	7.0
	ASTSA6014	6.0	1.0	4.0
	ASTSA6024	6.0	2.0	4.0
	ASTSA6034	6.0	3.0	4.0
	ASTSA6044	6.0	4.0	4.0
	ASTSA6054	6.0	5.0	4.0
	ASTSA6015	6.0	1.0	5.5
	ASTSA6025	6.0	2.0	5.5
	ASTSA6035	6.0	3.0	5.5
	ASTSA6045	6.0	4.0	5.5
	ASTSA6055	6.0	5.0	5.5
	ASTSA6017	6.0	1.0	7.0
	ASTSA6027	6.0	2.0	7.0
	ASTSA6037	6.0	3.0	7.0
	ASTSA6047	6.0	4.0	7.0
	ASTSA6057	6.0	5.0	7.0
	ASTSA7015	7.0	1.0	5.5
	ASTSA7025	7.0	2.0	5.5
	ASTSA7035	7.0	3.0	5.5
	ASTSA7045	7.0	4.0	5.5
	ASTSA7055	7.0	5.0	5.5





*支台齒 (Milling Abutment) - 材質 Ti



Milling Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTMA4017HS	4.0	1.5	7.0
	ASTMA4027HS	4.0	2.0	7.0
	ASTMA4037HS	4.0	3.0	7.0
	ASTMA4047HS	4.0	4.0	7.0
	ASTMA4057HS	4.0	5.0	7.0
	ASTMA5017HS	5.0	1.5	7.0
	ASTMA5027HS	5.0	2.0	7.0
	ASTMA5037HS	5.0	3.0	7.0
	ASTMA5047HS	5.0	4.0	7.0
	ASTMA5057HS	5.0	5.0	7.0
	ASTMA4017NS	4.0	1.5	7.0
	ASTMA4027NS	4.0	2.0	7.0
	ASTMA4037NS	4.0	3.0	7.0
	ASTMA4047NS	4.0	4.0	7.0
	ASTMA4057NS	4.0	5.0	7.0
	ASTMA5017NS	5.0	1.5	7.0
	ASTMA5027NS	5.0	2.0	7.0
	ASTMA5037NS	5.0	3.0	7.0
	ASTMA5047NS	5.0	4.0	7.0
	ASTMA5057NS	5.0	5.0	7.0
	ASTMS4017S	4.0	1.5	7.0
	ASTMS4027S	4.0	2.0	7.0
	ASTMS4037S	4.0	3.0	7.0
	ASTMS4047S	4.0	4.0	7.0
	ASTMS4057S	4.0	5.0	7.0
	ASTMS5017S	5.0	1.5	7.0
	ASTMS5027S	5.0	2.0	7.0
	ASTMS5037S	5.0	3.0	7.0
	ASTMS5047S	5.0	4.0	7.0
	ASTMS5057S	5.0	5.0	7.0

Milling Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTMA4017H	4.0	1.5	7.0
	ASTMA4027H	4.0	2.0	7.0
	ASTMA4037H	4.0	3.0	7.0
	ASTMA4047H	4.0	4.0	7.0
	ASTMA4057H	4.0	5.0	7.0
	ASTMA5017H	5.0	1.5	7.0
	ASTMA5027H	5.0	2.0	7.0
	ASTMA5037H	5.0	3.0	7.0
	ASTMA5047H	5.0	4.0	7.0
	ASTMA5057H	5.0	5.0	7.0
	ASTMA6017H	6.0	1.5	7.0
	ASTMA6027H	6.0	2.0	7.0
	ASTMA6037H	6.0	3.0	7.0
	ASTMA6047H	6.0	4.0	7.0
	ASTMA6057H	6.0	5.0	7.0
	ASTMA7017H	7.0	1.5	7.0
	ASTMA7027H	7.0	2.0	7.0
	ASTMA7037H	7.0	3.0	7.0
	ASTMA7047H	7.0	4.0	7.0
	ASTMA7057H	7.0	5.0	7.0
	ASTMA4017N	4.0	1.5	7.0
	ASTMA4027N	4.0	2.0	7.0
	ASTMA4037N	4.0	3.0	7.0
	ASTMA4047N	4.0	4.0	7.0
	ASTMA4057N	4.0	5.0	7.0
	ASTMA5017N	5.0	1.5	7.0
	ASTMA5027N	5.0	2.0	7.0
	ASTMA5037N	5.0	3.0	7.0
	ASTMA5047N	5.0	4.0	7.0
	ASTMA5057N	5.0	5.0	7.0
	ASTMA6017N	6.0	1.5	7.0
	ASTMA6027N	6.0	2.0	7.0
	ASTMA6037N	6.0	3.0	7.0
	ASTMA6047N	6.0	4.0	7.0
	ASTMA6057N	6.0	5.0	7.0
	ASTMA7017N	7.0	1.5	7.0
	ASTMA7027N	7.0	2.0	7.0
	ASTMA7037N	7.0	3.0	7.0
	ASTMA7047N	7.0	4.0	7.0
	ASTMA7057N	7.0	5.0	7.0


Milling Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	Cuff	Post H
	ASTMS4017	4.0	1.5	7.0
	ASTMS4027	4.0	2.0	7.0
	ASTMS4037	4.0	3.0	7.0
	ASTMS4047	4.0	4.0	7.0
	ASTMS4057	4.0	5.0	7.0
	ASTMS5017	5.0	1.5	7.0
	ASTMS5027	5.0	2.0	7.0
	ASTMS5037	5.0	3.0	7.0
	ASTMS5047	5.0	4.0	7.0
	ASTMS5057	5.0	5.0	7.0
	ASTMS6017	6.0	1.5	7.0
	ASTMS6027	6.0	2.0	7.0
	ASTMS6037	6.0	3.0	7.0
	ASTMS6047	6.0	4.0	7.0
	ASTMS6057	6.0	5.0	7.0
	ASTMS7017	7.0	1.5	7.0
	ASTMS7027	7.0	2.0	7.0
	ASTMS7037	7.0	3.0	7.0
	ASTMS7047	7.0	4.0	7.0
	ASTMS7057	7.0	5.0	7.0


*支台齒 (Gold Abutment) - 材質 Ti

Gold Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTGA4090HS	4.0	9.0
	ASTGA5090HS	5.0	9.0
	ASTGA4090NS	4.0	9.0
	ASTGA5090NS	5.0	9.0


Gold Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTGA4090H	4.0	9.0
	ASTGA5090H	5.0	9.0
	ASTGA4090N	4.0	9.0
	ASTGA5090N	5.0	9.0


*支台齒 (Zirconia Abutment) - 材質 Ti6Al4V

Zirconia Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTZA3050S	3.0	5.0
	ASTZA4050S	4.0	5.0
	ASTZA5050S	5.0	5.0


Zirconia Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTZA4050	4.0	5.0
	ASTZA5050	5.0	5.0
	ASTZA6050	6.0	5.0


*轉移支台齒 (Flat Abutment) - 材質 Ti6Al4V

Flat Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTFA3510S	3.5	1.0
	ASTFA3520S	3.5	2.0
	ASTFA3530S	3.5	3.0
	ASTFA3540S	3.5	4.0
	ASTFA3550S	3.5	5.0
	ASTFA4010S	4.0	1.0
	ASTFA4020S	4.0	2.0
	ASTFA4030S	4.0	3.0
	ASTFA4040S	4.0	4.0
	ASTFA4050S	4.0	5.0



Flat Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTFA3510	3.5	1.0
	ASTFA3520	3.5	2.0
	ASTFA3530	3.5	3.0
	ASTFA3540	3.5	4.0
	ASTFA3550	3.5	5.0
	ASTFA4010	4.0	1.0
	ASTFA4020	4.0	2.0
	ASTFA4030	4.0	3.0
	ASTFA4040	4.0	4.0
	ASTFA4050	4.0	5.0



* 椿柱 (Fixture Mount & Screw) - 材質 Ti6Al4V

Fixture Mount & Screw (Mini)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTMPS	3.1	7.3
	ASTMSS	3.0	Length=16.3



Fixture Mount & Screw (Regular)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTMPR	3.6	7.3
	ASTMSR	3.0	Length=14.6



*支台齒 (Temporary Abutment)- 材質 Ti;臨時支台齒,適應咬合力。


Temporary Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTTA4010HS	4.0	1.0
	ASTTA4030HS	4.0	3.0
	ASTTA4010NS	4.0	1.0
	ASTTA4030NS	4.0	3.0

Temporary Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTTA4510H	4.5	1.0
	ASTTA4530H	4.5	3.0
	ASTTA4510N	4.5	1.0
	ASTTA4530N	4.5	3.0



*支台齒 (Ball Abutment)- 材質 Ti6Al4V;全口假牙適用。



Ball Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTBA3510S	3.5	1.0
	ASTBA3520S	3.5	2.0
	ASTBA3530S	3.5	3.0
	ASTBA3540S	3.5	4.0
	ASTBA3550S	3.5	5.0
	ASTBA3560S	3.5	6.0
	ASTBA3710S	3.7	1.0
	ASTBA3720S	3.7	2.0
	ASTBA3730S	3.7	3.0
	ASTBA3740S	3.7	4.0
	ASTBA3750S	3.7	5.0
	ASTBA3760S	3.7	6.0
	ASTBA4010S	4.0	1.0
	ASTBA4020S	4.0	2.0
	ASTBA4030S	4.0	3.0
	ASTBA4040S	4.0	4.0
	ASTBA4050S	4.0	5.0
	ASTBA4060S	4.0	6.0
	ASTBA4810S	4.8	1.0
	ASTBA4820S	4.8	2.0
	ASTBA4830S	4.8	3.0
	ASTBA4840S	4.8	4.0
	ASTBA4850S	4.8	5.0
	ASTBA4860S	4.8	6.0

Ball Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
 <p>底部形状: </p>	ASTBA3510	3.5	1.0
	ASTBA3520	3.5	2.0
	ASTBA3530	3.5	3.0
	ASTBA3540	3.5	4.0
	ASTBA3550	3.5	5.0
	ASTBA3560	3.5	6.0
	ASTBA3710	3.7	1.0
	ASTBA3720	3.7	2.0
	ASTBA3730	3.7	3.0
	ASTBA3740	3.7	4.0
	ASTBA3750	3.7	5.0
	ASTBA3760	3.7	6.0


Ball Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]	
		Diameter	Post H
	ASTBA4010	4.0	1.0
	ASTBA4020	4.0	2.0
	ASTBA4030	4.0	3.0
	ASTBA4040	4.0	4.0
	ASTBA4050	4.0	5.0
	ASTBA4060	4.0	6.0
	ASTBA4810	4.8	1.0
	ASTBA4820	4.8	2.0
	ASTBA4830	4.8	3.0
	ASTBA4840	4.8	4.0
	ASTBA4850	4.8	5.0
	ASTBA4860	4.8	6.0


*角度支台齒 (Angled Abutment) - 材質 Ti

Angled Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	cuff	angled
 <p>底部形狀: </p>	ASTAA4115HS	4.0	1.0	15°
	ASTAA4215HS	4.0	2.0	15°
	ASTAA4315HS	4.0	3.0	15°
	ASTAA4415HS	4.0	4.0	15°
	ASTAA5115HS	5.0	1.0	15°
	ASTAA5215HS	5.0	2.0	15°
	ASTAA5315HS	5.0	3.0	15°
	ASTAA5415HS	5.0	4.0	15°
	ASTAA5515HS	5.0	5.0	15°
	ASTAA4125HS	4.0	1.0	25°
	ASTAA4225HS	4.0	2.0	25°
	ASTAA4325HS	4.0	3.0	25°
	ASTAA4425HS	4.0	4.0	25°
	ASTAA5125HS	5.0	1.0	25°
	ASTAA5225HS	5.0	2.0	25°
	ASTAA5325HS	5.0	3.0	25°
	ASTAA5425HS	5.0	4.0	25°
	ASTAA5525HS	5.0	5.0	25°


Angled Abutment (Mini)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	cuff	angled
 <p>底部形狀：⬡</p>	ASTAA4115ES	4.0	1.0	15°
	ASTAA4215ES	4.0	2.0	15°
	ASTAA4315ES	4.0	3.0	15°
	ASTAA4415ES	4.0	4.0	15°
	ASTAA5115ES	5.0	1.0	15°
	ASTAA5215ES	5.0	2.0	15°
	ASTAA5315ES	5.0	3.0	15°
	ASTAA5415ES	5.0	4.0	15°
	ASTAA5515ES	5.0	5.0	15°
	ASTAA4125ES	4.0	1.0	25°
	ASTAA4225ES	4.0	2.0	25°
	ASTAA4315ES	4.0	3.0	25°
	ASTAA4425ES	4.0	4.0	25°
	ASTAA5125ES	5.0	1.0	25°
	ASTAA5225ES	5.0	2.0	25°
	ASTAA5325ES	5.0	3.0	25°
	ASTAA5425ES	5.0	4.0	25°
ASTAA5525ES	5.0	5.0	25°	
 <p>底部形狀：○</p>	ASTAA4115NS	4.0	1.0	15°
	ASTAA4215NS	4.0	2.0	15°
	ASTAA4315NS	4.0	3.0	15°
	ASTAA4415NS	4.0	4.0	15°
	ASTAA5115NS	5.0	1.0	15°
	ASTAA5215NS	5.0	2.0	15°
	ASTAA5315NS	5.0	3.0	15°
	ASTAA5415NS	5.0	4.0	15°
	ASTAA5515NS	5.0	5.0	15°
	ASTAA4125NS	4.0	1.0	25°
	ASTAA4225NS	4.0	2.0	25°
	ASTAA4315NS	4.0	3.0	25°
	ASTAA4425NS	4.0	4.0	25°
	ASTAA5125NS	5.0	1.0	25°
	ASTAA5225NS	5.0	2.0	25°
	ASTAA5325NS	5.0	3.0	25°
	ASTAA5425NS	5.0	4.0	25°
ASTAA5525NS	5.0	5.0	25°	

Angled Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	cuff	angled
	ASTAA4115H	4.0	1.0	15°
	ASTAA4215H	4.0	2.0	15°
	ASTAA4315H	4.0	3.0	15°
	ASTAA4415H	4.0	4.0	15°
	ASTAA5115H	5.0	1.0	15°
	ASTAA5215H	5.0	2.0	15°
	ASTAA5315H	5.0	3.0	15°
	ASTAA5415H	5.0	4.0	15°
	ASTAA5515H	5.0	5.0	15°
	ASTAA6115H	6.0	1.0	15°
	ASTAA6215H	6.0	2.0	15°
	ASTAA6315H	6.0	3.0	15°
	ASTAA6415H	6.0	4.0	15°
	ASTAA6515H	6.0	5.0	15°
	ASTAA4125H	4.0	1.0	25°
	ASTAA4225H	4.0	2.0	25°
	ASTAA4325H	4.0	3.0	25°
	ASTAA4425H	4.0	4.0	25°
	ASTAA5125H	5.0	1.0	25°
	ASTAA5225H	5.0	2.0	25°
	ASTAA5325H	5.0	3.0	25°
	ASTAA5425H	5.0	4.0	25°
	ASTAA5525H	5.0	5.0	25°
	ASTAA6125H	6.0	1.0	25°
	ASTAA6225H	6.0	2.0	25°
	ASTAA6325H	6.0	3.0	25°
	ASTAA6425H	6.0	4.0	25°
	ASTAA6525H	6.0	5.0	25°




底部形狀: 

Angled Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	cuff	angled
	ASTAA4115E	4.0	1.0	15°
	ASTAA4215E	4.0	2.0	15°
	ASTAA4315E	4.0	3.0	15°
	ASTAA4415E	4.0	4.0	15°
	ASTAA5115E	5.0	1.0	15°
	ASTAA5215E	5.0	2.0	15°
	ASTAA5315E	5.0	3.0	15°
	ASTAA5415E	5.0	4.0	15°
	ASTAA5515E	5.0	5.0	15°
	ASTAA6115E	6.0	1.0	15°
	ASTAA6215E	6.0	2.0	15°
	ASTAA6315E	6.0	3.0	15°
	ASTAA6415E	6.0	4.0	15°
	ASTAA6515E	6.0	5.0	15°
	ASTAA4125E	4.0	1.0	25°
	ASTAA4225E	4.0	2.0	25°
	ASTAA4315E	4.0	3.0	25°
	ASTAA4425E	4.0	4.0	25°
	ASTAA5125E	5.0	1.0	25°
	ASTAA5225E	5.0	2.0	25°
	ASTAA5325E	5.0	3.0	25°
	ASTAA5425E	5.0	4.0	25°
	ASTAA5525E	5.0	5.0	25°
	ASTAA6125E	6.0	1.0	25°
	ASTAA6225E	6.0	2.0	25°
	ASTAA6325E	6.0	3.0	25°
	ASTAA6425E	6.0	4.0	25°
	ASTAA6525E	6.0	5.0	25°



底部形狀：⬡

Angled Abutment (Regular)	Ref. Code	Part Dimension [Unit: mm]		
		Diameter	cuff	angled
	ASTAA4115N	4.0	1.0	15°
	ASTAA4215N	4.0	2.0	15°
	ASTAA4315N	4.0	3.0	15°
	ASTAA4415N	4.0	4.0	15°
	ASTAA5115N	5.0	1.0	15°
	ASTAA5215N	5.0	2.0	15°
	ASTAA5315N	5.0	3.0	15°
	ASTAA5415N	5.0	4.0	15°
	ASTAA5515N	5.0	5.0	15°
	ASTAA6115N	6.0	1.0	15°
	ASTAA6215N	6.0	2.0	15°
	ASTAA6315N	6.0	3.0	15°
	ASTAA6415N	6.0	4.0	15°
	ASTAA6515N	6.0	5.0	15°
	ASTAA4125N	4.0	1.0	25°
	ASTAA4225N	4.0	2.0	25°
	ASTAA4125N	4.0	1.0	25°
	ASTAA4225N	4.0	2.0	25°
	ASTAA4315N	4.0	3.0	25°
	ASTAA4425N	4.0	4.0	25°
	ASTAA5125N	5.0	1.0	25°
	ASTAA5225N	5.0	2.0	25°
	ASTAA5325N	5.0	3.0	25°
	ASTAA5425N	5.0	4.0	25°
	ASTAA5525N	5.0	5.0	25°
	ASTAA6125N	6.0	1.0	25°
	ASTAA6225N	6.0	2.0	25°
	ASTAA6325N	6.0	3.0	25°
	ASTAA6425N	6.0	4.0	25°
	ASTAA6525N	6.0	5.0	25°



底部形狀：○

製造廠 / 藥商名稱：台灣美佳境股份有限公司
 製造廠 / 藥商地址：新北市五股區五權六路 41 號